




Veranda Products. Built by Barrette.

# Veranda® Vinyl Fence

## Special Order Catalog












Browse **HomeDepot.com** and shop anywhere, anytime

51010287 SAP V1 3/15  
210431SOM

# Vinyl Fencing Style Overview

Available in a variety of styles, Veranda Vinyl Fencing is perfect for your outdoor space.

## PRIVACY PANELS:

				
Potomac 6x8, Page 34	Tennessee 6x6, Page 36	Canyon 6x8, Page 38	Missouri 6x6, Page 40	Yellowstone 6x8, Page 42
				
Valley 6x6, Page 44	Linden 6x8, Page 46 5x8, Page 48 4x8, Page 50	Bryce 6x8, Page 52 5x8, Page 54 4x8, Page 56	Washington 6x6, Page 58 5x6, Page 60 4x6, Page 62	

## PRIVACY PANELS:

			
Estate 4x6, Page 68	American Dog-Ear Shadowbox 6x6, Page 69	Lattice Top 6x6, Page 70	Windham 6x6, Page 72

## Features:



Pool Code  
Approved



Panels use  
ProSeal™



Wind Code  
Approved



Privacy  
Panels




**PICKETS PANELS:**




Yukon Straight  
4x8, Page 14



Yukon Scallop  
4x8, Page 16



Ottawa Straight  
4x6, Page 18



Ottawa Scallop  
4x6, Page 20



Kettle Straight  
4x8, Page 22




Kettle Scallop  
4x8, Page 24



Seneca Straight  
4x6, Page 26



Seneca Scallop  
4x6, Page 28



Ohio  
4x8, Page 30



Colorado  
4x6, Page 32




Post and Rail  
4x8, Page 64

**PICKETS PANELS:**



Chelsea  
3x8, Page 66




Glendale  
4x8, Page 67

**Features:**



Pool Code  
Approved



Panels use  
ProLock™



Wind Code  
Approved



Decorative  
Panels



# 4'x8' Ohio



Color: White, Sand and Cypress  
Features: 3" Pickets with 2<sup>7</sup>/<sub>8</sub>" Spacing





## 4'x8' Ohio - White



Model	Description
73012319	4ft. x 8ft. Ohio Closed Picket Fence Kit (C) (Actual Size 48½in. H x 91in. W)
73014767	4ft. x 4ft. Ohio Closed Picket Walk Gate Kit* (Actual Size 48½in. H x 46in. W)
73014768	4ft. x 5ft. Ohio Closed Picket Drive Gate Kit* (Actual Size 48½in. H x 58in. W)
73012186	5in. x 5in. x 84in. Line Post (C)
73012187	5in. x 5in. x 84in. Corner Post (C)
73012188	5in. x 5in. x 84in. End/Gate Post (C)
73003718	5in. x 5in. x 82in. Gate Post Insert (For use with 5in. x 5in. x 84in. Posts)
73003095	5in. x 5in. New England Post Top
73014080	Post Top Clips



Fence panel



Walk Gate



Drive Gate

## 4'x8' Ohio - Sand



Model	Description
73012322	4ft. x 8ft. Ohio Closed Picket Fence Kit (C) (Actual Size 48½in. H x 91in. W)
73014769	4ft. x 4ft. Ohio Closed Picket Walk Gate Kit* (Actual Size 48½in. H x 46in. W)
73014770	4ft. x 5ft. Ohio Closed Picket Drive Gate Kit* (Actual Size 48½in. H x 58in. W)
73012192	5in. x 5in. x 84in. Line Post (C)
73012193	5in. x 5in. x 84in. Corner Post (C)
73012194	5in. x 5in. x 84in. End/Gate Post (C)
73003718	5in. x 5in. x 82in. Gate Post Insert (For use with 5in. x 5in. x 84in. Posts)
73003761	5in. x 5in. New England Post Top
73014080	Post Top Clips



Fence panel



Walk Gate



Drive Gate

## 4'x8' Ohio - Cypress



Model	Description
73014474	4ft. x 8ft. Ohio Closed Picket Fence Kit (C) (Actual Size 48½in. H x 91in. W)
73014773	4ft. x 4ft. Ohio Closed Picket Walk Gate Kit* (Actual Size 48½in. H x 46in. W)
73014774	4ft. x 5ft. Ohio Closed Picket Drive Gate Kit* (Actual Size 48½in. H x 58in. W)
73014475	5in. x 5in. x 84in. Line Post (C)
73014476	5in. x 5in. x 84in. Corner Post (C)
73014477	5in. x 5in. x 84in. End/Gate Post (C)
73003718	5in. x 5in. x 82in. Gate Post Insert (For use with 5in. x 5in. x 84in. Posts)
73013828	5in. x 5in. New England Post Top
73014080	Post Top Clips



Fence panel



Walk Gate



Drive Gate

### Gate Hinges



Standard Wrap Hinge

### Gate Post Inserts



Gate Post Insert



\* All gate kits include Boerboel® Gate Solutions hinges. For more information on gates and hardware see pages 76-79. For additional post top options and accessories see pages 74-75.

# 6'x8' Linden



Color: White, Sand and Cypress

Features: 6" Tongue & Groove Boards with 1 3/4" x 7" Top & Bottom Rail



## 6'x8' Linden - White

Model	Description
73014713	6ft. x 8ft. Linden Fence Kit (CC) (Actual Size 68in. H x 91in. W)
73014520	6ft. x 4ft. Linden Walk Gate Kit* (Actual Size 68in. H x 46in. W)
73014521	6ft. x 5ft. Linden Drive Gate Kit* (Actual Size 68in. H x 58in. W)
73014881	5in. x 5in. x 108in. Line Post (CC)
73014883	5in. x 5in. x 108in. Corner Post (CC)
73014882	5in. x 5in. x 108in. End/Gate Post (CC)
73024502	5in. x 5in. x 108in. Transitional Line Post (CC-QR) (6' to 5')
73024503	5in. x 5in. x 108in. Transitional Right Corner Post (CC-QR) (6' to 5')
73024504	5in. x 5in. x 108in. Transitional Left Corner Post (CC-QR) (6' to 5')
73024548	5in. x 5in. x 108in. Transitional Line Post - White (CC-QS) (6' to 4')
73024549	5in. x 5in. x 108in. Transitional Right Corner Post - White (CC-QS) (6' to 4')
73024550	5in. x 5in. x 108in. Transitional Left Corner Post - White (CC-QS) (6' to 4')
73003463	5in. x 5in. x 106in. Gate Post Insert (For use with 5in. x 5in. x 108in. Posts)
73013119	5in. x 5in. Contemporary Post Top
73014080	Post Top Clips



Fence panel




Walk Gate



Drive Gate

## 6'x8' Linden - Sand

Model	Description
73013297	6ft. x 8ft. Linden Fence Kit (CC) (Actual Size 68in. H x 91in. W)
73014522	6ft. x 4ft. Linden Walk Gate Kit* (Actual Size 68in. H x 46in. W)
73014523	6ft. x 5ft. Linden Drive Gate Kit* (Actual Size 68in. H x 58in. W)
73013302	5in. x 5in. x 108in. Line Post (CC)
73013301	5in. x 5in. x 108in. Corner Post (CC)
73013805	5in. x 5in. x 108in. End/Gate Post (CC)
73024508	5in. x 5in. x 108in. Transitional Line Post (CC-QR) (6' to 5')
73024509	5in. x 5in. x 108in. Transitional Right Corner Post (CC-QR) (6' to 5')
73024510	5in. x 5in. x 108in. Transitional Left Corner Post (CC-QR) (6' to 5')
73024548	5in. x 5in. x 108in. Transitional Line Post - White (CC-QS) (6' to 4')
73024549	5in. x 5in. x 108in. Transitional Right Corner Post - White (CC-QS) (6' to 4')
73024550	5in. x 5in. x 108in. Transitional Left Corner Post - White (CC-QS) (6' to 4')
73003463	5in. x 5in. x 106in. Gate Post Insert (For use with 5in. x 5in. x 108in. Posts)
73013807	5in. x 5in. Contemporary Post Top
73014080	Post Top Clips



Fence panel



Walk Gate



Drive Gate

## 6'x8' Linden - Cypress

Model	Description
73014524	6ft. x 8ft. Linden Fence Kit (CC) (Actual Size 68in. H x 91in. W)
73014528	6ft. x 4ft. Linden Walk Gate Kit* (Actual Size 68in. H x 46in. W)
73014529	6ft. x 5ft. Linden Drive Gate Kit* (Actual Size 68in. H x 58in. W)
73014525	5in. x 5in. x 108in. Line Post (CC)
73014526	5in. x 5in. x 108in. Corner Post (CC)
73014527	5in. x 5in. x 108in. End/Gate Post (CC)
73003463	5in. x 5in. x 106in. Gate Post Insert (For use with 5in. x 5in. x 108in. Posts)
73013828	5in. x 5in. New England Post Top
73014080	Post Top Clips



Fence panel



Walk Gate



Drive Gate

\* All gate kits include Boerboel® Gate Solutions hinges. For more information on gates and hardware see pages 76-79. For additional post top options and accessories see pages 74-75.



## Assembly Instructions Instrucciones de ensamble

READ INSTRUCTIONS PRIOR TO INSTALLATION  
LEA LAS INSTRUCCIONES ANTES DE LA INSTALACIÓN


### Materials Needed Materiales necesarios

- |                                 |  |   |
|---------------------------------|--|---|
| <input type="checkbox"/> Panel  | <input type="checkbox"/> Post Tops           | <input type="checkbox"/> Concrete               |
| <input type="checkbox"/> Panel  | <input type="checkbox"/> Remates para poste  | <input type="checkbox"/> Concreto               |
| <input type="checkbox"/> Posts  | <input type="checkbox"/> Vinyl Cement        | <input type="checkbox"/> Pea Gravel             |
| <input type="checkbox"/> Postes | <input type="checkbox"/> Cemento para vinilo | <input type="checkbox"/> Gravilla tipo guisante |

#### 1. Fence Location

Mark the fence location using string and line stakes.


Ubicación de la cerca  
Marque la ubicación de la cerca utilizando una cuerda y estacas alineadas.



#### 2. Post Location:

Measure the width of the fence panel (X) plus the width of the post (Y). This is the common center-to-center measurement (unless there is a cut-down panel) for post hole location (Fig. 2).

Ubicación del poste:  
Mida el ancho del panel de valla (X); y suma el ancho del poste (Y). Esta es la medida normal de centro a centro (a menos que se corte el panel) (Fig. 2).





#### 3. Post Installation:

Dig first two post holes 10" in diameter down to your specified frost line. Insert filler/gravel into the bottom of both holes and then set first post in post holes. Add wet or dry concrete mix according to the manufacturer's instruction to the top of the hole for first post only and level it (Figure 3).

Example: When your frost line is 36" insert 12" of gravel/filler and 24" of post with concrete surrounding.


Instalación del poste:  
Cave los primeros dos agujeros para poste de 10 pulgadas en diámetro hasta la línea de penetración del congelamiento. Inserte el relleno o grava en el fondo de ambos agujeros y, a continuación, coloque el primer poste en el agujero. Añada una mezcla de concreto húmedo o seco de conformidad con las instrucciones del fabricante hasta la parte superior del agujero para el primer poste y nivele. (Figura 3).

Ejemplo: Cuando la línea de penetración del congelamiento es de 36", inserte 12" de grava o relleno y las restantes 24 pulgadas del poste con concreto.




#### 4. Insert bottom rail into bottom post route holes (Fig. 5).

Inserte el travesaño inferior en el orificio rebajado inferior del primer poste solamente (Fig. 5).




#### 5. Attach U-channels to boards (Fig. 6).

Sujete los canales en U a las tablas (Fig.6)



#### 6. Insert boards from left to right into bottom rails ensuring U-channels are on both ends (Fig. 7).

Encastre las tablas de izquierda a derecha en los travesaños inferiores, y asegúrese de que los canales en U estén unificados en ambos extremos (Fig. 7).



#### 7. Insert the top rail into the left side of the post route then guide over top of boards (Fig. 8).

Inserte el travesaño superior en el lado izquierdo del orificio rebajado y lúeelo deslicelo sobre las tablas (Fig. 8).




#### 8. Insert the completed fence panel into the route hole of the second fence post. Plumb and level the post and add concrete according to manufacturer's instructions (Fig. 9).

Encastre el panel completo de la cerca en los orificios rebajados del segundo poste y añada concreto de acuerdo con las instrucciones del fabricante (Fig. 9).




#### 9. Check to ensure the second post is level, then measure panel plus the dimensions from center of second post to center of next and dig the third post hole accordingly (Fig. 10).

Encastre el panel completo de la cerca en los orificios rebajados del segundo poste y añada concreto de acuerdo con las instrucciones del fabricante (Fig. 10).



#### 10. Repeat steps 2 to 9 until all fence panels and posts have been installed (Fig.11).

Repita el procedimiento de los pasos 2 a 9 hasta que todos los paneles y postes de la cerca estén instalados (Fig.11).



#### 11. Apply glue on inside rim of post tops, then attach to posts (Fig.12).

Aplique pegamento en los bordes interiores de la parte superior de los postes y adhiéralos a los postes (Fig.12).

