


SUBJECT PROPERTY MAP










SITE PLAN

SCALE: 1" = 30'

SITE PLAN



PROJECT DATA: WINDSOR ELEMENTARY SCHOOL

Construction Type

Existing Building: Type 2 Unprotected Proposed Addition: Type 2 Unprotected (2B 2015 IBC)

Note: also complies with 2B 2009 IBC

Automatic Fire Suppression

Existing Building: Yes, throughout building Proposed Addition: Yes, throughout addition

Fire Alarm System

120E

Existing Building: Yes, throughout building Proposed Addition: Yes, throughout addition

Allowable Height per 2015 IBC

75 feet Allowable Height (Table 504.3): Allowable Stories (Table 504.4): 3 stories

Note: allowable height and stories would be 75 feet, 3 stories under IBC 2009

Allowable Building Area per 2015 IBC

Fire Area A

43,500 S.F. Allowable Tabular Area (Table 506.2): ACTUAL Area A 1st Floor 43,494 S.F. ACTUAL Area A 2nd Floor 2,267 S.F.

Fire Area B

Allowable Tabular Area (Table 506.2): 43,500 S.F. ACTUAL Area B 1st Floor 8,188 S.F. ACTUAL Area B 2nd Floor 8,188 S.F.

Fire Area C

Allowable Tabular Area (Table 506.2): 58,000 S.F. 17,465 S.F. ACTUAL Area C 1st Floor


Note: allowable areas under 2009 IBC are 43,500 sq. ft. with Type 2 Unprotected Construction Type that is Sprinklered.

Exit Access Distance 250 feet (Table 1017.2) Fully Sprinkled

FIRST FLOOR PLAN
















BUILDING ELEVATIONS



PROPOSED ADDITION SUPERIMPOSED ON EXISTING SITE

NOTE: PROPOSED SITE CHANGES ARE NOT SHOWN IN THIS VIEW

COLOR RENDERING